

Author Index

Apfel, H., Eisenbeiss, W.F. and Meyer, T.F., Changes in the surface composition after transmission of *Acanthocheilone-ma viteae* third stage larvae into the jird, 63

Adrabi, K.I., see Chishti, A.H., 283

Armson, A., see Mendis, A.H.W., 159

Bailey, C.W., see Ray, B.K., 123

Baltz, T., see Bringaud, F., 111

Banerjee, C. and Sarkar, D., Isolation and characterization of a cyclic nucleotide-independent protein kinase from *Leishmania donovani*, 195

Bangs, J.D., see Elmendorf, H.G., 215

Barsuhn, C.L., see Ho, N.F.H., 1

Beale, G., see Thaithong, S., 149

Bennett, K.L., see Gruidl, M., 271

Bhat, G.J., Souza, A.E., Feagin, J.E. and Stuart, K., Transcript-specific developmental regulation of polyadenylation in *Trypanosoma brucei* mitochondria, 231

Bhattacharya, A., see Prasad, J., 137

Bhattacharya, S., see Prasad, J., 137

Bhaumik, D. and Datta, A.K., Active site thiol(s) in *Leishmania donovani* adenosine kinase: comparison with hamster enzyme and evidence for the absence of regulatory adenosine binding site, 29

Bringaud, F. and Baltz, T., A potential hexose transporter gene expressed predominantly in the bloodstream form of *Trypanosoma brucei*, 111

Brodin, T.N., Heath, S. and Sacks, D.L., Genes selectively expressed in the infectious (metacyclic) stage of *Leishmania major* promastigotes encode a potential basic-zipper structural motif, 241

Bunch, K., see Gruidl, M., 271

Burns, J.M. Jr., see Daly, T.M., 279

Calvo-Méndez, C., see Villagómez-Castro, J.C., 53

Capron, A., see Cordeiro da Silva, A., 275

Capron, A., see Williams, D.L., 127

Carmona, E., see Meirelles, M.N.L., 175

Carson, C.A., see Ray, B.K., 123

Certa, U., see Meier, B., 15

Chakrabarti, D., Dame, J.B., Gutell, R.R. and Yowell, C.A., Characterization of the rDNA unit and sequence analysis of the small subunit rRNA and 5.8S rRNA genes from *Tritrichomonas foetus*, 75

Chan, S.-W., see Thaithong, S., 149

Chen, L.-l., Rekosh, D.M. and LoVerde, P.T., *Schistosoma mansoni* p48 eggshell protein gene: characterization, developmentally regulated expression and comparison to the p14 eggshell protein gene, 39

Chishti, A.H., Adrabi, K.I., Derick, L.H., Palek, J. and Liu, S.-C., Isolation of skeleton-associated knobs from human red blood cells infected with malaria parasite *Plasmodium falciparum*, 283

Cookson, E., see Williams, D.L., 127

Cordeiro da Silva, A., LePresle, T., Capron, A. and Pierce, R.J., Molecular cloning of a 16-kilodalton Cu/Zn superoxide dismutase from *Schistosoma mansoni*, 275

Costa, E.M., see Meirelles, M.N.L., 175

Cunha, V.M.N., Meyer-Fernandes, J.R. and Noël, F., A $(\text{Ca}^{2+}-\text{Mg}^{2+})$ ATPase from *Schistosoma mansoni* is coupled to an active transport of calcium, 167

Daly, T.M., Burns, J.M. Jr. and Long, C.A., Comparison of the carboxy-terminal, cysteine-rich domain of the merozoite surface protein-1 from several strains of *Plasmodium yoelii*, 279

Dame, J.B., see Chakrabarti, D., 75

Datta, A.K., see Bhaumik, D., 29

Derick, L.H., see Chishti, A.H., 283

Döbeli, H., see Meier, B., 15

Docampo, R., see Moreno, S.N.J., 251

Eberhard, M.L., see Ellenberger, D.L., 131

Eisenbeiss, W.F., see Apfel, H., 63

Ellenberger, D.L., Pieniazek, N.J., Mian, I.S., Eberhard, M.L. and Lammie, P.J., Cloning and characterization of the *Wuchereria bancrofti* S15 ribosomal protein, 131

Elmendorf, H.G., Bangs, J.D. and Haldar, K., Synthesis and secretion of proteins by released malarial parasites, 215

Ertmann, K., see Kron, M.A., 289

Feagin, Jean E., The 6-kb element of *Plasmodium falciparum* encodes mitochondrial cytochrome genes, 145

Feagin, J.E., see Bhat, G.J., 231

Geary, T.G., see Ho, N.F.H., 1

Gharib, S., see Gruidl, M., 271

Goman, M., see Thaithong, S., 149

Greene, B.M., see Kron, M.A., 289

Grubb, W.B., see Mendis, A.H.W., 159

Gruidl, M., Bunch, K., Gharib, S. and Bennett, K.L., The GMP reductase gene of the nematode *Ascaris lumbricoides* var. *suum*, 271

Gutell, R.R., see Chakrabarti, D., 75

Haldar, K., see Elmendorf, H.G., 215

Heath, S., see Brodin, T.N., 241

Ho, N.F.H., Geary, T.G., Barsuhn, C.L., Sims, S.M. and Thompson, D.P., Mechanistic studies in the transcuticular delivery of antiparasitic drugs II: ex vivo/in vitro correlation of solute transport by *Ascaris suum*, 1

Ibrahim, M.S., Richie, T.L. and Scott, A.L., Surface-associated antigens of *Brugia malayi* L2 and L3 parasites during vector-stage development, 97

Jasmer, D.P., Reduker, D.W., Perryman, L.E. and McGuire, T.C., A *Babesia bovis* 225-kilodalton protein located on the cytoplasmic side of the erythrocyte membrane has sequence similarity with a region of glycogen phosphorylase, 263

Jensen, J.B., see Ray, B.K., 123

Juliano, L., see Meirelles, M.N.L., 175

Kron, M.A., Ertmann, K., Greene, B.M. and Unnasch, T., Characterization of a possible tRNA synthetase gene from *Onchocerca volvulus*, 289

Lammie, P.J., see Ellenberger, D.L., 131

Langer, P.J., see Steinkraus, H.B., 141

LePresle, T., see Cordeiro da Silva, A., 275

Liu, S.-C., see Chishti, A.H., 283

LoVerde, P.T., see Chen, L.-l., 39

Long, C.A., see Daly, T.M., 279

López-Romero, E., see Villagómez-Castro, J.C., 53

McGuire, T.C., see Jasmer, D.P., 263

Meier, B., Döbeli, H. and Certa, U., Stage-specific expression of aldolase isoenzymes in the rodent malaria parasite *Plasmodium berghei*, 15

Meirelles, M.N.L., Juliano, L., Carmona, E., Silva, S.G., Costa, E.M., Murta, A.C.M. and Scharfstein, J., Inhibitors of the major cysteinyl proteinase (GP57/51) impair host cell invasion and arrest the intracellular development of *Trypanosoma cruzi* in vitro, 175

Mejia, J.S., see Prioli, R.P., 96

Mendis, A.H.W., Armon, A. and Grubb, W.B., Difference spectroscopic characterisation of the cytochrome complement, 159

Merali, S., see Zhang, Y., 185

Meshnick, S.R., see Zhang, Y., 185

Meyer, T.F., see Apfel, H., 63

Meyer-Fernandes, J.R., see Cunha, V.M.N., 167

Mian, I.S., see Ellenberger, D.L., 131

Moreno, S.N.J., Vercesi, A.E., Pignataro, O.P. and Docampo, R., Calcium homeostasis in *Trypanosoma cruzi* amastigotes: presence of inositol phosphates and lack of an inositol 1,4,5-trisphosphate-sensitive calcium pool, 251

Murta, A.C.M., see Meirelles, M.N.L., 175

Noël, F., see Cunha, V.M.N., 167

Ortega-Barria, E., see Prioli, R.P., 96

Palek, J., see Chishti, A.H., 283

Patterson, J.L., see Weeks, R.S., 207

Pereira, M.E.A., see Prioli, R.P., 96

Perryman, L.E., see Jasmer, D.P., 263

Pieniazek, N.J., see Ellenberger, D.L., 131

Pierce, R.J., see Cordeiro da Silva, A., 275

Pierce, R.J., see Williams, D.L., 127

Pignataro, O.P., see Moreno, S.N.J., 251

Prasad, J., Bhattacharya, S. and Bhattacharya, A., Cloning and sequence analysis of a calcium-binding protein gene from a pathogenic strain of *Entamoeba histolytica*, 137

Prioli, R.P., Ortega-Barria, E., Mejia, J.S. and Pereira, M.E.A., Mapping of a B-cell epitope present in the neuraminidase of *Trypanosoma cruzi*, 96

Ray, B.K., Bailey, C.W., Jensen, J.B. and Carson, C.A., Chromosomes of *Babesia bovis* and *Babesia bigemina*, 123

Reduker, D.W., see Jasmer, D.P., 263

Rekosh, D.M., see Chen, L.-l., 39

Richie, T.L., see Ibrahim, M.S., 97

Ridley, R., see Thaithong, S., 149

Sacks, D.L., see Brodin, T.N., 241

Sarkar, D., see Banerjee, C., 195

Scharfstein, J., see Meirelles, M.N.L., 175

Scott, A.L., see Ibrahim, M.S., 97

Seesod, N., see Thaithong, S., 149

Silva, S.G., see Meirelles, M.N.L., 175

Sims, S.M., see Ho, N.F.H., 1

Songsomboon, S., see Thaithong, S., 149

Souza, A.E., see Bhat, G.J., 231

Steinkraus, H.B. and Langer, P.J., The protein sequence predicted from a *Leishmania guyanensis* gp63 major surface glycoprotein gene is divergent as compared with other *Leishmania* species, 141

Stuart, K., see Bhat, G.J., 231

Stuart, K., see Weeks, R.S., 207

Sueblinwong, T., see Thaithong, S., 149

Thaithong, S., Chan, S.-W., Songsomboon, S., Wilairat, P., Seesod, N., Sueblinwong, T., Goman, M., Ridley, R. and Beale, G., Pyrimethamine resistant mutations in *Plasmodium falciparum*, 149

Thompson, D.P., see Ho, N.F.H., 1

Unnasch, T., see Kron, M.A., 289

Vercesi, A.E., see Moreno, S.N.J., 251

Villagómez-Castro, J.C., Calvo-Méndez, C. and López-Romero, E., Chitinase activity in encysting *Entamoeba invadens* and its inhibition by allosamidin, 53

Weeks, R.S., Patterson, J.L., Stuart, K. and Widmer, G., Transcribing and replicating particles in a double-stranded RNA virus from *Leishmania*, 207

Widmer, G., see Weeks, R.S., 207

Wilairat, P., see Thaithong, S., 149

Williams, D.L., Pierce, R.J., Cookson, E. and Capron, A., Molecular cloning and sequencing of glutathione peroxidase from *Schistosoma mansoni*, 127

Yowell, C.A., see Chakrabarti, D., 75

Zhang, Y., Merali, S. and Meshnick, S.R., *p*-Aminobenzoic acid transport by normal and *Plasmodium falciparum*-infected erythrocytes, 185

Subject Index

Acanthocheilonema viteae, 159
 African trypanosomes, 111
 Aldolase isoenzyme, 15
 Allosamidin, 53
 Amastigote, 251
 Anion exchanger, 185
Ascaris, 271
Ascaris suum, 1
 ATPase, 167

Babesia bigemina, 123
Babesia bovis, 123, 263
 Biophysical model, 1
Brugia malayi, 97, 289
Brugia pahangi, 131

(Ca²⁺-Mg²⁺)ATPase, 167
Caenorhabditis elegans, 271
 Calcium, 251
 Calcium uptake, 167
 Calcium-binding protein, 137
 Calmodulin, 137
 cDNA clone, 127
 Chitinase activity, 53
 Chorion gene, 39
 Chromatin diminution, 271
 Chromosome, 123
 Cuticle, 1, 63
 Cuticular lipid, 63
 Cyclic nucleotide, 195
 Cysteine mapping, 29
 Cysteine proteinase, 175
 Cysteine-rich domain, 279
 Cytochrome, 159
 Cytochrome *b*, 145
 Cytochrome oxidase, 145

Developmentally regulated gene expression, 39
 Developmental regulation, 231
 Difference spectroscopy, 159
 Differential screen, 241
 Dihydrofolate reductase-thymidylate synthetase, 149
 DNA sequence, 137, 141
 Double-stranded RNA virus, 207

Eggshell protein gene, 39
 Encystment, 53
Entamoeba, 53
Entamoeba histolytica, 137
 Enzyme inactivation, 29
 Erythrocyte-associated protein, 263
 Eukaryote, 75
 Evolution, 15

Filaria, 63
 Filariidae, 159
 Filariasis, 131
 Folate, 185
 Folic acid, 185

Gene expression, 111, 241
 Glutathione peroxidase, 127
 Glycocalyx, 63

Glycogen phosphorylase, 263
 Glycolysis, 15
 GMP reductase, 271
 GP63, 141
 GP65, 141

Hexose transporter, 111

Infective promastigote, 241
 Inositol phosphate, 251

L2, 97
 L3, 97
Leishmania, 207
Leishmania donovani, 195
Leishmania guyanensis, 141
Leishmania major, 241
 Leucine zipper pattern, 241

Major surface glycoprotein, 141
 Malaria, 145, 149, 185, 279
 Merozoite, 263
 Merozoite surface protein-1, 279
 Metacyclogenesis, 241
 Metalloprotease, 141
 Microsome, 167
 Mitochondrial gene, 145
 Mitochondrial gene transcript, 231
 Multigene family, 111
 Mutation, 149

Nematode, 1, 271
 Neuraminidase, 85

Partition coefficient, 1
 Peptide sequence, 279
 Phosphorylation, 195
Plasmodium berghei, 15
Plasmodium falciparum, 145, 149, 283
Plasmodium yoelii, 279
 Polyadenylation, 231
 Polymerase chain reaction, 127, 131
 Post-invasive L3, 63
 Promastigote, 195
 Protease inhibitor, 175
 Protein kinase, 195
 Protein secretion, 215
 Protozoa, 75, 175
 Purine salvage pathway, 271
 Pyrimethamine, 149

Regulation, 29
 Released malarial parasite, 215
 Replicase, 207
 Respiratory electron transport, 159
 Ribosomal protein S15, 131
 Ribosomal RNA, 75
 RNA-dependent RNA polymerase, 207

Schistosoma mansoni, 39, 127, 167, 275
 Schistosome female reproductive development, 39
 Schistosomiasis, 275
 Selenocysteine, 127

SH-blocker, 29
Size variation, 231
16S rRNA, 75
18S rRNA, 75
Stage-specific antigen, 97
Superoxide dismutase, 275
Surface antigen, 97
Surface epitope, 263
Surface radioiodination, 63
Tandem repeat domain, 85
Thapsigargin, 251
Transcriptase, 207

Transcuticular transport, 1
Trichomonad, 75
Trypanosoma brucei, 231
Trypanosoma cruzi, 85, 175, 251
Uptake, 185
Vaccine development, 127
Vanadate, 167
Vector-stage development, 97
Wuchereria bancrofti, 131

